REFERENCES

1.Francois H. van der ,W, Catharina S. Janse van R, George, S. R, Jeanine, L. M, Du Toit, L, Cristal, H, Roan, L, Pieter, J. P, Elardus, E. (2008). *In vitro* Antioxidant, Antimutagenic and Genoprotective Activity of *Rosa roxburghii* fruit extract . *Phytotherapy Research*, 22, 376–383.

2. Newman, D.J, Cragg, G.M, Snader,K.M. (2000) .The influence of natural products upon drug discovery. *Natural Product Reports*,17(3),215–234.

3. Newman, D.J, Cragg, G.M, Snader K.M.(2003). Natural products as sources of new drugs over the period 1981–2002. *Journal of Natural Products*, 66(7),1022–1037.

4. Kiefer, D.M.(1997) A century of pain relief. *Today's Chemist at Work*, 6(12),38–42.

5. Kokate, C.K, Purohit, A.P, Gokhale, S.B. (2005). *Pharmacognosy*.31st Edition, Nirali Prakashan, Pune.

6. Chopra, R.N, Nayar, S.L. and Chopra, I.C. (1956). In Glossary of Indian medicinal Plants. *Council of Scientific and Industrial Research*, 1,197.

7. Rabe, T, Staden, J.V. (1997). *Journal of Ethnopharmacology*, 56 ,81-87.

8. Cragg, G.M, Newman, D.J, Snader, K.M. (1997). Natural products in drug discovery and development. *Journal of Natural Products*, 60, 52–60.

9. Yang, S.S, Cragg, G.M, Newman, D.J, Bader, J.P. (2001). Natural product-based anti-HIV drug discovery and development facilitated by the NCI development therapeutics program. *Journal of Natural Products*, 64, 265–277.

10. Dictionary of Natural Products. (2001). London: Chapman and Hall/CRC Press.

11. Henkel, T, Brunne, R.M, Müller, H, Reichel, F. (1999). Statistical investigation into the structural complementarity of natural products and synthetic compounds. *Angewandte Chemie International Edition*, England, 38, 643–647.

12. Mendelson, R, Balick, M.J.(1995). The value of undiscovered pharmaceuticals in tropical forests. *Economic Botany*, 49,223–228.

13. Michael, W.F.(2006). Plants, medicines and man. *Journal of the Science of Food and Agriculture*, 86,1797–1804.

14. Medicinal plants for conservation and health care. FAO—Food and Agriculture Organization
of the United Nations, Corporate Document Repository, 1995.

15. Cora, J.D, German, J.B. Phytochemicals: nutraceuticals and human health. *Journal of the Science of Food and Agriculture*, 80,1744-1756.

16. Hill , R.A. (1993). Terpenoids. In: Thomson RH (ed), *The Chemistry of Natural Products*. Chapman & Hall, Blackie Academic & Professional, New York.

17. Poulter, C.D, Rilling, H. C. (1981). In: Spurgeon SL, and Port JW (eds), *Biosynthesis of Isoprenoid Compounds*. John Wiley & Sons, New York, 161–224.

18. Eisenreich, W, Schwarz, M, Cartayrade, A, Arigoni ,D, Zenk ,M.H, Bacher, A. (1998). The deoxyxylulose phosphate pathway of terpenoid biosynthesis in plants and microorganisms. *Chemistry & Biology*, 5(9), 221–233.

19. IUPAC Compendium of Chemical Terminology, 2nd ed. (The "Gold Book"). Compiled by A. D. McNaught and A. Wilkinson. Blackwell Scientific Publications, Oxford (1997)

20. Manske, R. H. F. (1965). The Alkaloids. *Chemistry and Physiology*,Volume VIII. - New York: Academic Press, 673.
21. Chemical Encyclopedia: alkaloids.
22. Randhir, R, Lin, Y.-T, Shetty, K. (2004). Phenolics, their antioxidant and antimicrobial activity in dark germinated fenugreek sprouts in response to peptide and phytochemical elicitors. *Asia Pacific Journal of Clinical Nutrition*, 13,295–307.

23. Harborne, J. B. (1989). General procedures and measurement of total phenolics. In J. B. Harborne (Ed.). *Methods in plant biochemistry: Volume 1 Plant Phenolics*. London:Academic Press , 1–28.

24. Harborne, J. B, Baxter, H, & Moss, G. P. (Eds.). (1999). *Phytochemical dictionary: Handbook of bioactive compounds from plants* (2nd ed.). London: Taylor & Francis.

25. King, A, Young, G. (1999). Characteristics and occurrence of phenolic phytochemicals. *Journal of the American Dietetic Association*,99, 213–218.

26. Bravo, L. (1998). Polyphenols: Chemistry, dietary sources, metabolism,and nutritional significance. *Nutrition Reviews*, 56, 317–333.

27. Ribereau-Gayon, P. (1972). *Plant Phenolics*, Hafner Publishing Company: New York, NY, USA.

28. Haslam, E. (1998) *Practical Polyphenols: From structure to molecular recognition and physiological action*, Cambridge University Press: Cambridge, UK.

29. Bıtısa,L, Kulturb,S, Melıkogluc,G, Ozsoyd,S, Ayse ,C. (2010). Flavonoids and antioxidant activity of Rosa agrestis leaves. *Natural Product Research*, 24(6), 580 - 589

30. Khan, M.A, Rehman, S.U. (2005). Extraction and Analysis of Essential Oil of *Rosa species. International Journal of Agriculture & Biology ,7 (6).*

31. Kumar, N, Bhandari, P, Singh, B. Bari, S.S.(2009). Antioxidant activity and ultra-performance LC-electrospray ionization-quadrupole time-of-flight mass spectrometry for phenolics-based fingerprinting of Rose species : *Rosa damascena, Rosa bourboniana and Rosa brunoni .Food Chemical Toxicology,* 47(2),361-367.

32. Cai, Y.Z, Xing, J, Sun, M, Zhan, Z.Q, Corke, H. (2005) Phenolic antioxidants (hydrolyzable tannins, flavonols, and anthocyanins) identified by LC-ESI-MS and MALDI-QIT-TOF MS from *Rosa chinensis* flowers. *Journal of Agricultural Food Chemistry,* 53(26), 9940-9948.

33. Ghazghazi, H, Miguel, M.G, Hasnaoui, B, Sebei, H, Ksontini, M, Figueiredo, A.C, Pedro, L.G, Barroso, J.G. (2010) Phenols, essential oils and carotenoids of *Rosa canina* from Tunisia and their antioxidant activities. *African Journal of Biotechnology*, 9(18), 2709-2716.

34. Kumarasamy, Y, Cox, P.J, Jaspars, M, Rashid ,M.A, Sarker ,S.D. (2003). Bioactive Flavonoid Glycosides from the Seeds of *Rosa canina. Pharmaceutical Biology*, 41(4), 237–242.

35. Salminen, J.P, Karonen, M, Lempab, K, Liimatainen, J, Sinkkonen, J, Lukkarinen , M, Pihlaja, K.(2005) . Characterisation of proanthocyanidin aglycones and glycosides from rose hips by high-performance liquid chromatography–mass spectrometry, and their rapid quantification together with Vitamin C. *Journal of Chromatography A*, 1077, 170–180.

36. Wong , S.K, & Lim ,Y.Y, Chan , E.W.C. (2010). Evaluation of Antioxidant, Anti-tyrosinase and Antibacterial Activities of Selected *Hibiscus* Species . *Ethnobotanical Leaflets* ,14 ,781-796.

37. Ozkan,G, Sag dic, O, Baydar, N.G, Baydar, H. (2004) .Antioxidant and Antibacterial Activities of *Rosa damascena* Flower Extract. *Food Science and Technology International,* 10(4),277–281.

38. Stajner, D, Varga, I.S.(2003). An evaluation of the antioxidant abilities of Allium species. *Acta Biologica Szegediensis*, 47(1-4),103-106.

39. Ranjan,S, Jadon,V.S, Sharma,N,, Singh, K, Parcha,V, Gupta,S, Bhatt, J.P. (2010). Anti-inflammatory and Analgesic Potential of Leaf Extract of *Allium stracheyi*. *Journal of Applied Sciences Research*, 6(2), 139-143.

40. Higuchi, O, Tateshita,K , Nishimura, H. (2003). Antioxidative activity of sulfur-containing compounds in *allium* species for human low-density lipoprotein (LDL) oxidation in vitro. *Journal of Agriculture and Food Chemistry , 51,* 7208-7214.

41. Marotti, M, Piccaglia, R. (2002). Characterization of flavonoids in different cultivars of onion (*Allium cepa* L.). *Journal of Food Science,* 67, 1229.

42. Nencini,C, Federica Cavallo,F, Capasso,A, Franchi, G.G, Giorgio, G, Micheli, L. (2007) Evaluation of antioxidative properties of *allium* species growing wild in Italy. *Phytotherapy Research,* 21, 874–878.

43. Galdon, B.R , Rodriguez , E.M, Romero , C.D. (2008). Flavonoids in onion cultivars. (*Allium cepa* L.). *Journal of Food Science*, (73) 8.

44. Ito, H, Miki, K, Yoshida, T. (1999). Elaeagnatins A—G, C-Glucosidic Ellagitannins from *Elaeagnus umbellate. Chemical Pharmaceutical Bulletin*, 47(4), 536-542.

45. Prashith Kekuda, T.R , Nethravathi, H.R, Vinayaka, K.S, Thippeswamy, N.B. (2009). Studies on antibacterial and anthelmintic activity of *Elaeagnus kologa* Schldl. *Journal of Pharmacy Research,* 2(12), 1885-1887.

46. Tolkachev, O.N, Abizov, E.A, Abizova, E.V, Mal'tsev, S.D. (2008). Phytochemical study of the bark of some plants of the elaeagnaceae family as a natural source of *b*-carboline indole alkaloids. *Pharmaceutical Chemistry Journal, 42, 11.*

47. Bucur, L, Vlase, L, Istudor, V, Popescu, A. (2009). HPLC-MS Analysis of the polyphenols in two soft extracts of *Elaeagnus angustifolia. Farmacia,* 57, 6, 736-742.

48. Abizov, E.A, Tolkachev, O.N, Mal'tsev S.D, Abizova, E.V.(2008).Composition of biologically active substances isolated from the fruits of Russian Olive *(Elaeagnus angustifolia)* introduced in the european part of Russia. *Pharmaceutical Chemistry Journal,* 42(12), 696-698.

49. Hosseinzadeh ,H, Ramezani, M,Namjo, N. (2003). Muscle relaxant activity of Elaeagnus angustifolia L. fruit seeds in mice. *Journal of Ethnopharmacology* ,84, 275-278.

50. Li, L.H, Baek, I.K Kim,J.H, Kang, K.H, Koh, Y.S, Jung, Y.D, Cho, C.K,, Choi,S.Y, Shin, B.A. (2009). Methanol extract of *Elaeagnus glabra*, a Korean medicinal plant, inhibits HT1080 tumor cell invasion. *Oncology Reports*,21, 559-563.

51. Vinayaka, K.S, Prashith Kekuda, T.R , Nethravathi H.R, Thippeswamy ,N.B, Sudharshan, S.J. (2009). Free radical scavenging and insecticidal activity of *Elaeagnus kologa* Schldl. *Drug Invention Today*, 1(1),74-77.

52. Sun, X.F, Sun, R.C, Xu, F, Lin ,L. *(* 2002). Fractional Isolation and Physico-Chemical Characterization of Hemicelluloses by a Two-Stage Treatment from *Haloxylon ammodendron* and *Elaeagnus angustifolia. Journal of Agriculture and Food Chemistry* **,** *50,* 6400-6407.

53. Turkmen, N, Velioglu, Y.S, Sari, F, Polat, G. (2007). Effect of Extraction Conditions on Measured total polyphenols contents and antioxidant and antibacterial activities of black tea. *Molecules*, 12, 484-496.